

Pełna nazwa	TDP	MHz - Turbo	Rdzenie / Wątki	3DMark06 CPU
Intel Core i7-3960X	130	3300 - 3900	6/12	8362.3
Intel Core i7-990X EE	130	3467 - 3733	6/12	6971
Intel Core i7-980X EE	130	3333 - 3600	6/12	7122.5
Intel Core i7-4930MX	57	3000 - 3900	4/8	
Intel Core i7-3770K	77	3500 - 3900	4/8	7170
Intel Core i7-3940XM	55	3000 - 3900	4/8	7189.5
Intel Core i7-4900MQ	47	2800 - 3800	4/8	
Intel Core i7-3920XM	55	2900 - 3800	4/8	6935
Intel Core i7-4800MQ	47	2700 - 3700	4/8	
Intel Core i7-2700K	95	3500 - 3900	4/8	6837
Intel Core i7-3840QM	45	2800 - 3800	4/8	6998
Intel Core i7-3820QM	45	2700 - 3700	4/8	6832
Intel Core i7-2600K	95	3400 - 3800	4/8	6642.1
Intel Core i7-3740QM	45	2700 - 3700	4/8	6837
Intel Xeon X5670	95	2933 - 3333	6/12	5794
Intel Core i5-3550	77	3300 - 3700	4/4	
Intel Core i7-3720QM	45	2600 - 3600	4/8	6581
Intel Core i7-2960XM	55	2700 - 3700	4/8	6820
Intel Core i7-3635QM	45	2400 - 3400	4/8	
Intel Core i7-3630QM	45	2400 - 3400	4/8	6324.8
Intel Core i7-2860QM	45	2500 - 3600	4/8	6323
Intel Core i7-2920XM	55	2500 - 3500	4/8	6100
Intel Core i7-3615QM	45	2300 - 3300	4/8	5757
Intel Core i7-3610QM	45	2300 - 3300	4/8	5968.3
Intel Core i7-975	130	3333 - 3600	4/8	5836.5
Intel Core i5-2500K	95	3300 - 3700	4/4	5853
Intel Core i7-3632QM	35	2200 - 3200	4/8	
Intel Core i7-2760QM	45	2400 - 3500	4/8	5930
Intel Core i5-2400	95	3100 - 3400	4/4	5712.2
Intel Core i7-960	130	3200 - 3466	4/8	5360
Intel Core i7-950	130	3060 - 3333	4/8	5219.6
Intel Core i7-2820QM	45	2300 - 3400	4/8	5485.7
Intel Core i7-3612QM	35	2100 - 3100	4/8	5080.5
Intel Core i7-2720QM	45	2200 - 3300	4/8	5529.1
Intel Core i7-2675QM	45	2200 - 3100	4/8	
Intel Core i7-2670QM	45	2200 - 3100	4/8	5333.2
Intel Core i7-940	130	2930 - 3200	4/8	5054
Intel Core i7-920	130	2660 - 2930	4/8	4727.5
Intel Core i7-2635QM	45	2000 - 2900	4/8	4906
Intel Core i7-2630QM	45	2000 - 2900	4/8	4911.6
Intel Core i5-750	95	2660 - 3200	4/4	4320
Intel Core i7-940XM	55	2130 - 3333	4/8	4080.3
Intel Core i7-920XM	55	2000 - 3200	4/8	3815.8
Intel Core i7-3540M	35	3000 - 3700	2/4	
Intel Core 2 Quad (Desktop) Q9550	95	2830	4/4	4233.3
Intel Core i7-3520M	35	2900 - 3600	2/4	4081.6
Intel Core i5-3380M	35	2900 - 3600	2/4	
Intel Core i5-3360M	35	2800 - 3500	2/4	3974.1

Pełna nazwa	TDP	MHz - Turbo	Rdzenie / Wątki	3DMark06 CPU
Intel Core i5-3340M	35	2700 - 3400	2/4	
Intel Core i7-2640M	35	2800 - 3500	2/4	3929.3
Intel Core i5-3320M	35	2600 - 3300	2/4	3774.4
Intel Core i7-840QM	45	1860 - 3200	4/8	3518.8
Intel Core i5-3230M	35	2600 - 3200	2/4	
Intel Core i7-2620M	35	2700 - 3400	2/4	3753
AMD A8-3850	100	2900	4/4	4027
Intel Core i5-3210M	35	2500 - 3100	2/4	3503.3
Intel Core i7-640M	35	2800 - 3460	2/4	3284.6
Intel Core i7-3687U	17	2100 - 3300	2/4	
Intel Core i7-820QM	45	1730 - 3060	4/8	3226.1
Intel Core 2 Extreme QX9300	45	2530	4/4	3749.8
Intel Core i5-2540M	35	2600 - 3300	2/4	3631.9
Intel Core i7-3667U	17	2000 - 3200	2/4	3577
Intel Core i7-740QM	45	1730 - 2930	4/8	3334.5
Intel Core i5-2520M	35	2500 - 3200	2/4	3469.4
Intel Core i5-2450M	35	2500 - 3100	2/4	3383.6
Intel Core i7-620M	35	2660 - 3333	2/4	3019.5
Intel Core i5-580M	35	2666 - 3333	2/4	3174
Intel Core i5-2435M	35	2400 - 3000	2/4	
Intel Core i5-2430M	35	2400 - 3000	2/4	3219.1
Intel Core i3-3130M	35	2600	2/4	
Intel Core i7-3537U	17	2000 - 3100	2/4	
Intel Core i5-2415M	35	2300 - 2900	2/4	2887
Intel Core i5-2410M	35	2300 - 2900	2/4	3198.4
Intel Core i3-3120M	35	2500	2/4	
Intel Core i7-3517U	17	1900 - 3000	2/4	3359.6
Intel Core i5-3437U	17	1900 - 2900	2/4	
Intel Core i3-3110M	35	2400	2/4	2987.8
Intel Core i5-560M	35	2667 - 3200	2/4	3103.5
Intel Core i7-720QM	45	1600 - 2800	4/8	3067
Intel Core i5-3427U	17	1800 - 2800	2/4	3145
Intel Core 2 Extreme X9100	44	3060	2/2	2832.3
Intel Core 2 Duo T9900	35	3060	2/2	2787
Intel Core 2 Duo T9800	35	2920	2/2	2626
Intel Core i5-480M	35	2666 - 2933	2/4	2879.9
Intel Core i7-2649M	25	2300 - 3200	2/4	
Intel Core i5-540M	35	2530 - 3066	2/4	2863
Intel Core i5-460M	35	2530 - 2800	2/4	2938
Intel Core i3-2370M	35	2400	2/4	2861.4
Intel Core i3-390M	35	2667	2/4	2811
Intel Core i3-2350M	35	2300	2/4	2641.1
Intel Core i3-2348M	35	2300	2/4	
Intel Core 2 Duo P9700	28	2800	2/2	2552
Intel Core 2 Duo T9600	35	2800	2/2	2524.2
Intel Core 2 Extreme X9000	44	2800	2/2	2544
Intel Core 2 Duo (Desktop) E6850	65	3000	2/2	2661
Intel Core i5-520M	35	2400 - 2933	2/4	2785

Pełna nazwa	TDP	MHz - Turbo	Rdzenie / Wątki	3DMark06 CPU
Intel Core i7-2629M	25	2100 - 3000	2/4	
Intel Core i5-450M	35	2400 - 2660	2/4	2768.5
Intel Core i3-380M	35	2533	2/4	2697.4
AMD Phenom II X2 X640 BE	45	3200	2/2	2684
Intel Core i7-2677M	17	1800 - 2900	2/4	2729
Intel Core i5-3337U	17	1800 - 2700	2/4	
Intel Core i3-2330M	35	2200	2/4	2628.5
Intel Core i3-2328M	35	2200	2/4	2687.2
Intel Pentium 2030M	35	2500	2/2	
Intel Core i7-660LM	25	2267 - 3067	2/4	
Intel Core 2 Quad (Desktop) Q6600	105	2400	4/4	3546.5
Intel Core 2 Quad Q9100	45	2260	4/4	3310
Intel Core i5-3317U	17	1700 - 2600	2/4	2908.9
Intel Core 2 Duo P9600	25	2660	2/2	2375
Intel Core 2 Duo T9550	35	2660	2/2	2383.8
AMD Phenom II X2 X620 BE	45	3100	2/2	
Intel Core 2 Duo T9500	35	2600	2/2	2353
Intel Core i5-430M	35	2260 - 2533	2/4	2561
Intel Core i7-2637M	17	1700 - 2800	2/4	2836
AMD Phenom II X4 X940 BE	45	2400	4/4	
Intel Core i7-2657M	17	1600 - 2700	2/4	2546
Intel Core i7-3689Y	13	1500 - 2600	2/4	
Intel Pentium 2020M	35	2400	2/2	
Intel Core i3-370M	35	2400	2/4	2574.2
Intel Pentium B980	35	2400	2/2	2450.7
AMD A10-4600M	35	2300 - 3200	4/4	2866.6
Intel Core i3-2312M	35	2100	2/4	
Intel Core i3-2310M	35	2100	2/4	2502.9
Intel Core i3-2308M	35	2100	2/4	
Intel Core i5-2557M	17	1700 - 2700	2/4	2750
Intel Celeron 1020E	35	2200	2/2	
AMD Phenom II X4 X920 BE	45	2300	4/4	3241.3
Intel Core 2 Quad Q9000	45	2000	4/4	2841
Intel Core i7-2617M	17	1500 - 2600	2/4	2762
Intel Core i5-3439Y	13	1500 - 2300	2/4	
Intel Core i7-640LM	25	2130 - 2933	2/4	2539
Intel Core i7-620LM	25	2000 - 2800	2/4	2358
Intel Core i3-3227U	17	1900	2/4	
Intel Core i5-2467M	17	1600 - 2300	2/4	2315.7
Intel Core i3-3217U	17	1800	2/4	2169.4
Intel Core i5-3339Y	13	1500 - 2000	2/4	
AMD Phenom II X4 N970	35	2200	4/4	3042.5
Intel Core 2 Duo (Desktop) E6700	65	2660	2/2	2354
Intel Core 2 Duo SP9600	25	2530	2/2	2189
Intel Core 2 Duo P9500	25	2530	2/2	1687
Intel Core 2 Duo T9400	35	2530	2/2	2310.4
Intel Pentium B970	35	2300	2/2	2321
AMD A8-3550MX	45	2000 - 2700	4/4	

Pełna nazwa	TDP	MHz - Turbo	Rdzenie / Wątki	3DMark06 CPU
Intel Core 2 Duo P8800	25	2660	2/2	2355
Intel Core 2 Duo T9300	35	2500	2/2	2244.2
AMD Phenom II X2 N660	35	3000	2/2	
Intel Celeron 1020M	35	2100	2/2	
Intel Core i3-350M	35	2260	2/4	2370.9
Intel Pentium B960	35	2200	2/2	2215.2
AMD Phenom II X2 N640	35	2900	2/2	
Intel Core 2 Duo P8700	25	2530	2/2	2238.3
Intel Core 2 Duo SP9400	25	2400	2/2	2059
Intel Core i3-330M	35	2130	2/4	2205
Intel Core i7-680UM	18	1467 - 2533	2/4	
AMD Phenom II X2 P650	25	2800	2/2	
AMD Phenom II X2 N620	35	2800	2/2	2288
Intel Pentium B950	35	2100	2/2	2133.3
Intel Core 2 Duo P8600	25	2400	2/2	2151.7
AMD Phenom II X3 N870	35	2300	3/3	
AMD A8-3530MX	45	1900 - 2600	4/4	
Intel Core 2 Duo T8300	35	2400	2/2	2150
Intel Core i5-2537M	17	1400 - 2300	2/4	2182.3
Intel Pentium P6300	35	2266	2/2	
AMD Phenom II X4 N950	35	2100	4/4	2974
AMD Phenom II X3 N850	35	2200	3/3	2583.5
AMD Phenom II X4 N930	35	2000	4/4	2901.3
AMD A8-3510MX	45	1800 - 2500	4/4	
Intel Pentium B940	35	2000	2/2	2034
AMD A6-3430MX	45	1700 - 2400	4/4	
Intel Pentium 2117U	17	1800	2/2	
Intel Celeron 1000M	35	1800	2/2	
Intel Celeron 1037U	17	1800	2/2	
AMD Phenom II X3 N830	35	2100	3/3	2424.6
Intel Core 2 Duo SP9300	25	2260	2/2	1974
Intel Core i7-660UM	18	1333 - 2400	2/4	
AMD A8-3520M	35	1600 - 2500	4/4	2491
AMD A10-4655M	25	2000 - 2800	4/4	2168
AMD A8-4500M	35	1900 - 2800	4/4	2388.7
Intel Core 2 Duo P8400	25	2260	2/2	2014
AMD Phenom II X4 P960	25	1800	4/4	2519
AMD A6-3410MX	45	1600 - 2300	4/4	2407
AMD A8-3500M	35	1500 - 2400	4/4	2244.5
AMD A6-3420M	35	1500 - 2400	4/4	2304.8
Intel Core 2 Duo P7570	25	2260	2/2	2050
Intel Core 2 Duo P7550	25	2260	2/2	2004
Intel Pentium P6200	35	2133	2/2	1812
Intel Core 2 Duo T6770	35	2300	2/2	
AMD A6-3400M	35	1400 - 2300	4/4	2136.5
AMD Phenom II X3 P860	25	2000	3/3	
AMD Phenom II X4 P940	25	1700	4/4	
AMD Turion II N570	35	2700	2/2	

Pełna nazwa	TDP	MHz - Turbo	Rdzenie / Wątki	3DMark06 CPU
AMD Turion II Ultra M660	35	2700	2/2	
Intel Core i5-560UM	18	1333 - 2130	2/4	1976
Intel Core i7-640UM	18	1200 - 2266	2/4	
Intel Pentium Dual Core T4500	35	2300	2/2	1919.5
Intel Core 2 Duo SL9600	17	2130	2/2	
Intel Core 2 Duo P7450	25	2130	2/2	1918.7
AMD Phenom II X3 P840	25	1900	3/3	
AMD Phenom II X4 P920	25	1600	4/4	2082.5
AMD Turion II N550	35	2600	2/2	
AMD Turion II Ultra M640	35	2600	2/2	
Intel Core 2 Duo T6670	35	2200	2/2	1850
Intel Core 2 Duo T6600	35	2200	2/2	1972.3
AMD Turion II P560	25	2500	2/2	
AMD Turion II N530	35	2500	2/2	2128
Intel Core 2 Duo T8100	35	2100	2/2	1839.7
AMD Phenom II X3 P820	25	1800	3/3	2064.2
AMD A8-4555M	19	1600 - 2400	4/4	1538
Intel Core 2 Duo T5900	35	2200	2/2	1838
AMD Turion II Ultra M620	35	2500	2/2	
Intel Core 2 Duo P7370	25	2000	2/2	1711.5
Intel Pentium Dual Core T4400	35	2200	2/2	1889.8
Intel Celeron B840	35	1900	2/2	
Intel Pentium P6100	35	2000	2/2	1840
Intel Celeron M P4600	35	2000	2/2	1804
AMD Turion II M560	35	2500	2/2	
AMD Athlon II N370	35	2500	2/2	
Intel Pentium P6000	35	1860	2/2	1635
Intel Celeron B830	35	1800	2/2	
Intel Celeron M P4500	35	1860	2/2	
Intel Core 2 Duo P7350	25	2000	2/2	1688
Intel Core 2 Duo T6570	35	2100	2/2	1883
Intel Core 2 Duo T6500	35	2100	2/2	1768
Intel Core 2 Duo T5850	34	2100	2/2	1768
AMD A4-3330MX	45	2200 - 2600	2/2	
AMD A6-4400M	35	2700 - 3200	2	1806.3
AMD A4-4300M	35	2500 - 3000	2	1697
Intel Celeron B820	35	1700	2/2	
AMD Turion II P540	25	2400	2/2	2047
AMD Turion II Ultra M600	35	2400	2/2	1905
Intel Celeron 1007U	17	1500	2/2	
Intel Pentium Dual Core T4300	35	2100	2/2	1797.5
Intel Celeron Dual-Core T3500	35	2100	2/2	1760
Intel Celeron B815	35	1600	2/2	1645
Intel Celeron B810	35	1600	2/2	1634.7
AMD Athlon II N350	35	2400	2/2	
AMD Turion II M540	35	2400	2/2	
AMD Turion II P520	25	2300	2/2	1891.7
Intel Core 2 Duo SL9400	17	1860	2/2	1300

Pełna nazwa	TDP	MHz - Turbo	Rdzenie / Wątki	3DMark06 CPU
Intel Core 2 Duo SL9380	17	1800	2/2	
Intel Pentium Dual Core T3400	35	2160	2/2	1789
Intel Core 2 Duo T6400	35	2000	2/2	1762
Intel Core 2 Duo T5870	34	2000	2/2	1628
Intel Core i3-3229Y	13	1400	2/4	
AMD Turion X2 Ultra ZM-86	35	2400	2/2	1617.5
Intel Core 2 Duo T5800	35	2000	2/2	1639.5
AMD Athlon II N330	35	2300	2/2	1943
AMD Athlon II P360	25	2300	2/2	1797
AMD Turion II M520	35	2300	2/2	1918
AMD Athlon II M360	35	2300	2/2	
Intel Core 2 Duo T5750	34	2000	2/2	1732.3
Intel Pentium Dual Core T4200	35	2000	2/2	1735
Intel Celeron Dual-Core T3300	35	2000	2/2	
Intel Core i7-620UM	18	1060 - 2133	2/4	
Intel Core i3-2377M	17	1500	2/4	1808
AMD Turion II M500	35	2200	2/2	1772.2
AMD Athlon II P340	25	2200	2/2	1800.5
AMD Athlon II M340	35	2200	2/2	
Intel Core i3-2367M	17	1400	2/4	1876.4
Intel Core i3-2365M	17	1400	2/4	1659
Intel Core i5-470UM	18	1333 - 1867	2/4	1684.4
Intel Core 2 Duo L7700	17	1800	2/2	
Intel Core 2 Duo SP7700	20	1800	2/2	
Intel Celeron Dual-Core T3100	35	1900	2/2	1687
AMD A4-3310MX	45	2100 - 2500	2/2	
AMD A4-3320M	35	2000 - 2600	2/2	
AMD Turion X2 Ultra ZM-85	35	2300	2/2	
AMD Turion X2 Ultra ZM-84	35	2300	2/2	1610
Intel Pentium Dual Core T3200	35	2000	2/2	
Intel Pentium Dual Core T2410	35	2000	2/2	1551
Intel Pentium 997	17	1600	2/2	
AMD E2-3000M	35	1800 - 2400	2/2	
AMD Athlon II P320	25	2100	2/2	1685.6
AMD Athlon II M320	35	2100	2/2	1667.5
Intel Celeron 1047UE	17	1400	2/2	
Intel Pentium 987	17	1500	2/2	1487
Intel Celeron 887	17	1500	2/2	1414
Intel Celeron B800	35	1500	2/2	1534
Intel Core i3-2357M	17	1300	2/4	1571.7
AMD A4-3300M	35	1900 - 2500	2/2	1547.3
AMD A4-3305M	35	1900 - 2500	2/2	1613.5
Intel Core 2 Duo T5670	35	1800	2/2	1500
AMD Turion 64 X2 TL-68	35	2400	2/2	
AMD Turion X2 Ultra ZM-82	35	2200	2/2	1556
AMD Turion X2 RM-77	35	2300	2/2	
AMD Turion X2 RM-76	35	2300	2/2	1476
AMD Turion 64 X2 TL-66	35	2300	2/2	1266

Pełna nazwa	TDP	MHz - Turbo	Rdzenie / Wątki	3DMark06 CPU
Intel Celeron Dual-Core T3000	35	1800	2/2	1593
Intel Core i5-540UM	18	1200 - 2000	2/4	
AMD Athlon X2 QL-67	35	2200	2/2	
AMD Turion X2 RM-75	35	2200	2/2	
AMD Athlon X2 QL-66	35	2200	2/2	1520
AMD Turion X2 RM-74	35	2200	2/2	1561
AMD Turion 64 X2 TL-64	35	2200	2/2	1518
Intel Core 2 Duo SL9300	17	1600	2/2	
Intel Core 2 Duo T5600	34	1830	2/2	1559.5
AMD Athlon II M300	35	2000	2/2	1551.5
AMD Turion X2 Ultra ZM-80	32	2100	2/2	1503
AMD Athlon X2 QL-65	35	2100	2/2	1489
AMD Athlon X2 QL-64	35	2100	2/2	1474
AMD Turion X2 RM-72	35	2100	2/2	1534
Intel Core 2 Duo T5550	34	1830	2/2	1484
Intel Celeron Dual-Core T1700	35	1830	2/2	1456
AMD Turion 64 X2 TL-62	35	2100	2/2	1475
Intel Core i3-380UM	18	1333	2/4	1426
AMD Turion X2 RM-70	31	2000	2/2	1411.5
AMD Athlon X2 QL-62	35	2000	2/2	
AMD Turion 64 X2 TL-60	35	2000	2/2	1397.2
AMD Athlon X2 QL-60	35	1900	2/2	1352
Intel Core 2 Duo T5500	34	1660	2/2	1339
Intel Core i5-430UM	18	1200 - 1730	2/4	
Intel Core i5-520UM	18	1060 - 1866	2/4	1429.2
Intel Core 2 Duo T5470	35	1600	2/2	1364.5
Intel Core 2 Duo T5450	34	1660	2/2	1378.6
Intel Core 2 Duo T5300	34	1730	2/2	
Intel Core 2 Duo SP7500	20	1600	2/2	982
Intel Core 2 Duo SU9600	10	1600	2/2	
AMD A6-4455M	17	2100 - 2600	2	1363
AMD A4-4355M	17	1900 - 2400	2	
Intel Core 2 Duo L7500	17	1600	2/2	
Intel Core 2 Duo T5270	35	1400	2/2	
Intel Core 2 Duo L7300	17	1400	2/2	
AMD Turion II Neo K685	15	1800	2/2	1451
VIA Nano QuadCore L4700	28	1 - 1	4/4	1615
Intel Core 2 Duo SU9400	10	1400	2/2	1192
AMD Turion 64 X2 TL-58	31	1900	2/2	1339
AMD Turion 64 X2 TL-56	33	1800	2/2	1340
Intel Celeron Dual-Core T1600	35	1660	2/2	1350
Intel Celeron Dual-Core T1500	35	1866	2/2	1400
Intel Pentium 977	17	1400	2/2	1435
Intel Celeron 877	17	1400	2/2	
AMD Athlon 64 X2 TK-57	31	1900	2/2	
Intel Celeron Dual-Core T1400	35	1733	2/2	
AMD Turion II Neo K665	15	1700	2/2	
Intel Core i3-330UM	18	1200	2/4	1310.3

Pełna nazwa	TDP	MHz - Turbo	Rdzenie / Wątki	3DMark06 CPU
Nvidia Tegra 4	0	1900	4/4	
Intel Pentium 967	17	1300	2/2	1319
Intel Celeron 867	17	1300	2/2	
Intel Pentium 2129Y	10	1100	2/2	
Intel Pentium U5600	18	1333	2/2	
Intel Pentium 957	17	1200	2/2	
AMD Athlon 64 X2 TK-55	31	1800	2/2	1316
AMD Turion II Neo K645	15	1600	2/2	
AMD Athlon 64 X2 TK-42	20	1600	2/2	
AMD Turion 64 X2 TL-53	31	1700	2/2	
AMD Athlon 64 X2 TK-53	31	1700	2/2	1187
AMD Athlon Neo X2 L325	18	1500	2/2	
AMD Turion 64 X2 TL-52	31	1600	2/2	1182.5
Intel Core 2 Duo SU7300	10	1300	2/2	1145
AMD Turion Neo X2 L625	18	1600	2/2	1167
Intel Pentium U5400	18	1200	2/2	1126
Intel Celeron B730	35	1800	1/1	
AMD Turion 64 X2 L510	20	1600	2/2	
Intel Pentium Dual Core SU4100	10	1300	2/2	1157.5
Intel Celeron M U3600	18	1200	2/2	
Samsung Exynos 5250 Dual	0	1700	2/2	
AMD Turion II Neo K625	15	1500	2/2	1224
AMD Turion 64 X2 TL-50	31	1600	2/2	1172
AMD Mobile Sempron X2 NI-52	35	1800	2/2	
AMD Athlon Neo X2 L335	18	1600	2/2	1155
Intel Celeron 847	17	1100	2/2	826
Intel Celeron M 925	35	2300	1/1	
Intel Celeron 807	17	1500	1/2	
AMD V-Series V160	25	2400	1/1	
AMD Athlon II Neo K345	12	1400	2/2	1125
Intel Celeron B720	35	1700	1/1	
Intel Atom D2700	10	2130	2/4	1148
Intel Core 2 Duo SU9300	10	1200	2/2	1028
Intel Core 2 Duo U7700	10	1330	2/2	1047
Intel Core 2 Duo L7100	17	1200	2/2	995
Intel Celeron M 900	35	2200	1/1	1000
AMD V-Series V140	25	2300	1/1	989.5
Intel Core 2 Duo U7600	10	1200	2/2	1029
Intel Celeron Dual-Core SU2300	10	1200	2/2	1000
Intel Celeron M U3400	18	1060	2/2	988
AMD Athlon II Neo K325	12	1300	2/2	1034
AMD E2-2000	18	1750	2/2	
AMD E2-1800	18	1700	2/2	984.2
AMD E-450	18	1650	2/2	1029.9
AMD E-350	18	1600	2/2	1015.9
Intel Celeron 927UE	17	1500	1/1	
Intel Core 2 Duo U7500	10	1060	2/2	875
Intel Atom N2850	6	2000	2/4	

Pełna nazwa	TDP	MHz - Turbo	Rdzenie / Wątki	3DMark06 CPU
AMD V-Series V120	25	2200	1/1	952.5
AMD Mobile Sempron M140	25	2200	1/1	
Intel Celeron B710	35	1600	1/1	868
AMD Athlon X2 L310	13	1200	2/2	850
AMD E1-1500	18	1480	2/2	
AMD E1-1200	18	1400	2/2	861.3
Intel Celeron M 570	30	2260	1/1	
Intel Celeron M 585	31	2160	1/1	
AMD Mobile Sempron M120	25	2100	1/1	
AMD E-300	18	1300	2/2	838.5
Intel Celeron M 560	30	2130	1/1	
AMD Mobile Sempron M100	25	2000	1/1	
Intel Celeron M 575	31	2000	1/1	898
Intel Celeron M 550	30	2000	1/1	877
Intel Celeron M 450	27	2000	1/1	
Intel Celeron 797	35	1400	1/1	
Intel Celeron M 540	30	1860	1/1	802.5
Intel Celeron M 440	27	1860	1/1	980
Intel Celeron 220	19	1200	1/1	
AMD Mobile Sempron 4000+	31	2200	1/1	
AMD Mobile Sempron 3800+	31	2200	1/1	
AMD Mobile Sempron SI-42	25	2100	1/1	787
AMD Athlon II Neo K145	12	1800	1/1	
AMD Mobile Sempron SI-40	25	2000	1/1	772
AMD Athlon II Neo K125	12	1700	1/1	741
Intel Atom D2560	10	2000	2/4	
Intel Atom D2550	10	1866	2/4	
Intel Atom N2800	6	1860	2/4	965
Intel Atom Z2760	2	1800	2/4	974
Intel Atom D525	18	1800	2/4	891
Intel Atom N2650	3	1733	2/4	
AMD Mobile Sempron 3600+	25	2000	1/1	748
AMD Athlon Neo MV-40	15	1600	1/1	553
Intel Atom N570	9	1660	2/4	738
Intel Atom N2600	4	1600	2/4	812
Intel Atom 330	8	1600	2/4	824.5
Intel Celeron M 530	30	1730	1/1	739
Intel Celeron M 430	27	1730	1/1	
Intel Atom N550	9	1500	2/4	741.7
Intel Atom D2500	10	1866	2/2	
Intel Core 2 Solo SU3500	6	1400	1/1	650
Intel Pentium SU2700	10	1300	1/1	584
VIA Nano L2100	25	1800	1/1	585
Intel Core Solo U1500	5	1330	1/1	545
Intel Core 2 Solo SU3300	6	1200	1/1	564
Intel Celeron M 763	10	1400	1/1	
Intel Celeron M 520	30	1600	1/1	
Intel Celeron M 420	27	1600	1/1	

Pełna nazwa	TDP	MHz - Turbo	Rdzenie / Wątki	3DMark06 CPU
AMD Athlon 64 TF-20	25	1600	1/1	612
Intel Celeron M 410	27	1460	1/1	
Intel Celeron M 743	10	1300	1/1	581.5
Intel Atom Z2580	0	1300 - 1800	2/4	
Intel Core 2 Solo U2200	6	1200	1/1	
Intel Core Solo U1400	6	1200	1/1	
AMD V-Series V105	9	1200	1/1	
AMD C-70	9	1000 - 1333	2/2	
AMD C-60	9	1000 - 1333	2/2	727.2
AMD Mobile Sempron 210U	15	1500	1/1	
AMD C-50	9	1000	2/2	616.2
AMD Z-60	5	1000	2/2	
AMD Z-01	6	1000	2/2	
Intel Atom Z560	3	2130	1/2	
VIA C7-M C7-M-2000	20	2000	1/1	
Intel Atom Z550	2	2000	1/2	
AMD E-240	18	1500	1/1	500.5
Intel Celeron M 723	5	1200	1/1	555
Intel Atom N475	7	1860	1/2	544
Intel Atom N470	7	1860	1/2	537.5
Intel Atom Z540	2	1830	1/2	369
VIA Nano U2250	10	1500	1/1	
Intel Atom N455	7	1660	1/2	476.7
Intel Atom N450	6	1660	1/2	494
Intel Atom N280	3	1660	1/2	507
Intel Atom Z2480	0	1300 - 2000	1/2	
Intel Atom 230	4	1600	1/2	
Intel Atom Z530	2	1600	1/2	440
Intel Atom N270	3	1600	1/2	483
Intel Atom Z670	3	1500	1/2	
AMD Athlon 64 L110	0	1200	1/1	
AMD C-30	9	1200	1/1	403
VIA C7-M C7-M-1867	15	1867	1/1	
Intel Core Solo U1300	5	1060	1/1	
Intel Atom Z2460	4	1300 - 1600	1/2	
Intel Core 2 Solo U2100	6	1060	1/1	
Intel Celeron M 722	6	1200	1/1	
Intel Celeron M 423	5	1060	1/1	
Intel Celeron M 523	5	933	1/1	
Intel Atom N435	5	1333	1/2	
Samsung Exynos 4412 Quad	0	1400	4/4	
Apple A6x	0	1400	2	
Apple A6	0	1000	2	
NVIDIA Tegra 3	0	1200 - 1300	4/4	
Qualcomm Snapdragon S4 Pro APQ8064A	0	1500	4/4	
Qualcomm Snapdragon S4 Plus APQ8060A	0	1500	2/2	
Qualcomm Snapdragon S4	0	1500	2/2	

Pełna nazwa	TDP	MHz - Turbo	Rdzenie / Wątki	3DMark06 CPU
MSM8960				
Qualcomm Snapdragon S4 MSM8260A	0	1500	2/2	
Qualcomm Snapdragon S4 MSM8930	0	1200	2/2	
Intel Atom Z520	2	1333	1/2	391
AMD Mobile Sempron 200U	8	1000	1/1	
Texas Instruments OMAP 4470	0	1500	2/2	
HiSilicon k3v2 Hi3620	0	1200	4/4	
Rockchip RK3066 1.5 GHz	0	1500	2/2	
Amlogic AML8726-MX	0	1500	2/2	
Samsung Exynos 4210 1.4 GHz	0	1400	2/2	
VIA C7-M C7-M-1600	12	1600	1/1	
VIA Nano U2500	7	1200	1/1	
Qualcomm Snapdragon S4 MSM8227	0	1000	2/2	
Texas Instruments OMAP 4460	1	1200	2/2	
Samsung Exynos 4210 1.2 GHz	0	1200	2/2	
Texas Instruments OMAP 4430	1	1000	2/2	
Apple A5x	0	1000	2	
Apple A5	0	1000	2	
Nvidia Tegra 2 (250)	1	1000	2/2	
MediaTek MTK 8317T	0	1200	2/2	
ST-Ericsson NovaThor U8500	0	1000	2/2	
ST-Ericsson NovaThor U8420	0	1000	2/2	
Intel Atom Z510	2	1100	1/1	
Intel Atom Z2000	0	1000	1/1	
VIA C7-M C7-M-1500 ULV	8	1500	1/1	
VIA C3-M C3-M-1500	12	1500	1/1	
VIA C7-M C7-M-1000	4	1000	1/1	
Intel Celeron M 630 MHz	5	630	1/1	
Intel Atom Z500	1	800	1/1	
VIA C7-M C7-M-1200	5	1200	1/1	204
VIA C3-M C3-M-1200	18	1200	1/1	
Qualcomm Snapdragon S2 MSM8255	0	1500	1/1	
Rockchip RK2918 1.2 GHz	0	1200	0	
AllWinner A10	0	1200	1/1	
ARM Cortex A8 1.2 GHz	0	1200	0	
Apple A4	0	1000	1/1	
AllWinner A13	0	1000	1/1	
Samsung Hummingbird S5PC110 / Exynos 3110	0	1000	1/1	
Qualcomm Snapdragon S1 MSM7227A	0	1000	1/1	
Texas Instruments OMAP 3630 1GHz	0	1000	1/1	
Texas Instruments OMAP 3622	0	1000	1/1	
Rockchip RK2918	0	1000	0	
Telechips TCC8803 1GHz	0	1000	1/1	

Pełna nazwa	TDP	MHz - Turbo	Rdzenie / Wątki	3DMark06 CPU
ZiiLABS ZMS-08	0	1000	0	
ARM Cortex A8 1GHz	0	1000	1/1	
Qualcomm Snapdragon S1 QSD8250	0	1000	1/1	
AMD Geode LX 800	4	500	1/1	
AMD Geode LX 700	3	433	1/1	
Loongson 2F 900MHz	4	900	1/1	
Qualcomm Snapdragon S1 MSM7227	0	600	1/1	
unknown	0	0	0	